

## Message Text

CONFIDENTIAL

PAGE 01 STATE 130515  
ORIGIN SY-05

INFO OCT-01 AF-10 ISO-00 /016 R

DRAFTED BY A/SY/OPS/T:R WALLER:JW  
APPROVED BY A/SY/OPS/T:M H MUSSER  
A/SY/OPS/T - C PELCZYNSKI  
-----088361 231433Z /43

O 231421Z MAY 78  
FM SECSTATE WASHDC  
TO AMEMBASSY ADDIS ABABA IMMEDIATE  
INFO AMEMBASSY NAIROBI IMMEDIATE

C O N F I D E N T I A L STATE 130515

ADDIS FOR TSO; NAIROBI FOR OIC/RTC; FROM SY/OPS/T

E.O. 11652: GDS

TAGS: ASEC

SUBJECT: LOCKOUT - MOSLER HAND CHANGE

R4F: ADDIS 2283

1. IT IS RECOMMENDED THAT PRIOR TO DRILLING OF THE RE-  
LOCK PIN, THE FOLLOWING PROCEDURE SHOULD BE TRIED:

A. INERT THIN BLADED SCREW DRIVER INTO DRILLED HOLE  
AND PRESS THE NOSE OF THE DROP LEVER INTO THE DRIVE CAM.  
AT THE SAME TIME, ATTEMPT TO RETRACT THE LOCK BOLT. IF  
THE LOCK BOLT SHOWS RESISTANCE IN ALL PROBABILITY LOCK  
IS IN RELOCK CAUSED BY HEAT BUILDUP ON THE HARDPLATE  
MATERIAL DURING DRILLING OF THE FENCE.

B. WITH SCREW DRIVER, APPLYING SLIGHT PRESSURE ON THE  
DROP LEVER AND DRIVE CAM, ATTACH VISE GRIPS TO DIAL  
CONFIDENTIAL

CONFIDENTIAL

PAGE 02 STATE 130515

SPINDLE. TAKE A LEATHER MALLETT AND RAP THE FACE OF THE  
DRAWER HEAD DIRECTLY UNDER THE DIAL RING. POSSIBLE  
INERTIA WILL CAUSE THE RELOCK PIN TO DISENGAGE, FOR  
RETRACTION OF LOCK BOLT.

2. IF ABOVE PROCEDURE FAILS, USE FOLLOWING FOR DRILLING  
OF RELOCK PIN.

- A. SCRIBE A LINE AROUND THE BOTTOM CIRCUMFERENCE OF THE DIAL RING, APPROXIMATELY HALF WAY AROUND.
- B. SCRIBE A LINE ON THE FACE OF THE DIAL AT THE NUMBER 45.  
(SAME AS S&G SPY PROOF DIAL AND RING DRILL PROCEDURE.)
- C. PLACE THE DIAL ONTO THE SPINDLE WITH ZERO IN ALIGNMENT WITH THE OPENING INDEX.
- D. WHERE THE LINE IS DRAWN AT THE NUMBER 45 AND THE LINE DRAWN AROUND THE BOTTOM OF THE DIAL RING INTERSECT, CENTER PUNCH.
- E. REMOVE THE DIAL RING, WHERE CENTER PUNCHED LINES INTERSECT, DRILL 1/4" HOLE (CARBIDE TIP DRILL). CAUTION, DRILLING MUST BE STRAIGHT INTO THE LOCK CASE, DO NOT ANGLE.
- F. WHEN THE HARDPLATE MATERIAL HAS BEEN DRILLED, SWITCH TO 1/4" TWIST DRILL, DRILL OUT RELOCK PIN. (HOLE MAY HAVE TO BE REAMED AT RELOCK POINT)
- G. ATTACH VISE GRIPS TO SPINDLE WHILE DRILLING OF RELOCK PIN, ATTEMPTING MOVEMENT OF LOCK BOLT. VANCE

CONFIDENTIAL

NNN

## Message Attributes

**Automatic Decaptioning:** X  
**Capture Date:** 01 jan 1994  
**Channel Indicators:** n/a  
**Current Classification:** UNCLASSIFIED  
**Concepts:** n/a  
**Control Number:** n/a  
**Copy:** SINGLE  
**Draft Date:** 23 may 1978  
**Decaption Date:** 01 jan 1960  
**Decaption Note:**  
**Disposition Action:** RELEASED  
**Disposition Approved on Date:**  
**Disposition Case Number:** n/a  
**Disposition Comment:** 25 YEAR REVIEW  
**Disposition Date:** 20 Mar 2014  
**Disposition Event:**  
**Disposition History:** n/a  
**Disposition Reason:**  
**Disposition Remarks:**  
**Document Number:** 1978STATE130515  
**Document Source:** CORE  
**Document Unique ID:** 00  
**Drafter:** R WALLER:JW  
**Enclosure:** n/a  
**Executive Order:** GS  
**Errors:** N/A  
**Expiration:**  
**Film Number:** D780217-0469  
**Format:** TEL  
**From:** STATE  
**Handling Restrictions:** n/a  
**Image Path:**  
**ISecure:** 1  
**Legacy Key:** link1978/newtext/t19780528/aaaaaxng.tel  
**Line Count:** 86  
**Litigation Code IDs:**  
**Litigation Codes:**  
**Litigation History:**  
**Locator:** TEXT ON-LINE, ON MICROFILM  
**Message ID:** 09864698-c288-dd11-92da-001cc4696bcc  
**Office:** ORIGIN SY  
**Original Classification:** CONFIDENTIAL  
**Original Handling Restrictions:** n/a  
**Original Previous Classification:** n/a  
**Original Previous Handling Restrictions:** n/a  
**Page Count:** 2  
**Previous Channel Indicators:** n/a  
**Previous Classification:** CONFIDENTIAL  
**Previous Handling Restrictions:** n/a  
**Reference:** n/a  
**Retention:** 0  
**Review Action:** RELEASED, APPROVED  
**Review Content Flags:**  
**Review Date:** 24 apr 2005  
**Review Event:**  
**Review Exemptions:** n/a  
**Review Media Identifier:**  
**Review Release Date:** n/a  
**Review Release Event:** n/a  
**Review Transfer Date:**  
**Review Withdrawn Fields:** n/a  
**SAS ID:** 2600785  
**Secure:** OPEN  
**Status:** NATIVE  
**Subject:** LOCKOUT - MOSLER HAND CHANGE R4F: ADDIS 2283  
**TAGS:** ASEC  
**To:** ADDIS ABABA  
**Type:** TE  
**vdkgvwkey:** odb://SAS/SAS.dbo.SAS\_Docs/09864698-c288-dd11-92da-001cc4696bcc  
**Review Markings:**  
Sheryl P. Walter  
Declassified/Released  
US Department of State  
EO Systematic Review  
20 Mar 2014  
**Markings:** Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014